GENERAL INDEX TO VOLUME 22

(See below for plant and vertebrate indices)
New names are indicated by **boldface** type, invalid names by *italics*

Acanthia *humifera* 9–10, 23
Acanthonevra group 124
Acanthonevrini 123–61
Acari 35–77, 380–84
Acrididae 197, 200–03
Aedes 185
aegypti 178
albopictus .. 178, 180, 183, 185, 187
vexans nocturnus 178
Aepophilus bonnairei 29
Agromyza 190
Alpinia 229
Amarusa 361, 366
picea 366
sordida 363, 366
Ambalangoda 237–38
insignis 238
Ammophilomima australis 209–10
indiae 209–10
siamae 210
simila 210
thailandae 210
Anastrepha extranea 148
Ancyloneura frontalis 341
nigripes 341–42
Andrenosoma irigensis ..208, 210
Aphistina balabacensis ...206, 210
Aphrophorinae ..347–60, 361–79
key to Polynesian species .. 351
key to Solomon Is species .. 363
Apodesmoptera curtipennis ..198, 205
Apterotettix samoana ...198, 203
Aradidae 413
Ascoschoengastia 67
scaevola 49
uromys 55–59
Asilidae 205–09
Aspidogyrus strigosus 194–95
Australoma 237, 239
austrina 239
Austrodrapetis coxalis 214–15
Bajauana 237–329
angusticeps 264, 274
bicolor 266, 297–99
campylops 264, 270–71
castalius 266, 300–01
chloris 266, 307–09
combe 264, 271–72
consobrina 267, 318–21
declivis 264, 268–69
demetrius 265, 279–80
fulvia 266, 311–13
galanthis 266, 299–300
iridipennis 266, 301–03
key to New Guinea species ..265
lacteipennis 265, 280–82
latifrons 266, 317–18, 327
liriope 265, 275–76
liriope melanuris 277
longurio 264, 272–74
lucumo 265, 291–93
lutea 266, 309–10, 321
lysimache 265, 282–83, 289
manto 265–66, 287–88
marginata 266, 306–07, 310
marica 266, 303–05
mermerus 265, 293–94
mestra 265, 267, 285–87
mithras 266, 314–16
mnesarchus 266, 316–17
nicander 266, 310–11
nigrifrons 265, 294–96
pinodes 267, 327–28
pitho 265, 284–85, 307
rufula 264, 267–68
sabazius 267, 323–25
semibrunnea 265, 290–91
sharuhen 265, 296–97
smaragus 265, 277–79
sunias 267, 320–21
theanira 267, 322–23
timoleon 266, 305–06
tithonus 265, 325–26
trambelus 266, 313–14
varro 265, 288–89
beetle 196
Berosini 387
Berosus 387
Braconidae 328
Brixia bicolor 237, 297
marginata 237
palliceps 237
puncticosta 237
rufula 237, 239, 264, 267
tenebrosa 237
varia 237
variegata 237
bug, shore 1–34
Bumacris pagdeni
kolombangarae 201, 203
pagdeni mundae 202–03
venosa 203
butterfly 196
Calliphora 402
augur neocaledonensis .401–03
dichromata 401–03
melinda 401, 407
noumea 405
Calliphoridae 171–73, 401–12
key to New Caledonian species 402
Calliphorinae 402
Calliphorini 171–73, 402
Camilla 220
Caneirona 237–39
indica 239
maculipennis 239
Capiolepis 124
Carabidae 24, 30
Carolinotettix montana ..198, 203
Carventinae 328
Cassidinae 3
Catantopinae 197
Cercopidae 3, 347–60, 361–79
Chersodromia dissita 214–15
chigger 35–77
mammal-infesting 38
Chiloxanthinae 27
Choerades conopoides ...206, 210
hobelias 208, 210
peristalsis 208, 210
Chrysomelidae 3
Chrysomya 402
albiceps rufifacies 402, 409
mallochi 410
megacephala 403, 410–11
saffranea 401, 403, 410
sp. nr megacephala 401, 403, 410
varipes 401–02, 409–10
Chrysomyinae 402
Cicada flavipes 348
fenestrata 355, 371
Cixiidae 237–329
Cixius trahens 237
Cladomacra 329, 342, 345
macropus 343–45
nigriceps 343, 345
opa 343–45
sp. 345–46
Clovia aruensis 376
Cnephasia 80
Coccinellidae 3
Coleoptera 3, 385–400
Collembola 162–70
Colobostrella 125
heinrichi 137
ruficauda 125, 136
Colocasiomyia cristata 235

Commolenda 237, 239
deusta 239
Corixidae 29
Cothonaspis 193, 195
abnormis 189, 195
ashmeadi 190, 195
debilis 190, 195
similis 194–95
subdebilis 194–95
declivis 190, 195
dichroma 190, 195
dubiosa 191, 195
intermedia 192, 195
naias 192, 195
pacifica 193, 195
pele 193, 195
strigosa 194–95
tantali 195
Cranae genjam 201, 203
glabra 201, 203
longipennis 201, 203
manokwari 202–03
rubra 202–03
Cranaella kevani 201, 203
Crossopalpus kraussi 214–15
Culex quinquefasciatus 178, 180, 183, 185, 187
Culicidae 178–88
Cynipidae 189, 195
Cynipoidea 189–96
Dacopsis ... 123–25, 133, 150–56
apicalis 151–52
caea 151
dacina 150, 156
flava 151–52
holoxantha 151, 153–55
key to Indonesia, New Guinea, Bismarck Archipelago and Solomon Is species 151
mantissa 151, 155
medioflava 151
picturata 151–52, 155–56
quadripunctata ... 151–52, 156
signata 150–53, 156
Decodes 78–114
aneuretus 93, 113
asapheus ...96–97, 99–103, 113
asapheus complex 103
australus 107, 110, 113
basiplaganus 81–83, 85, 87, 89, 107, 113
basiplaganus group 81–88, 113
bicolor 89–93, 113
catherineae 80, 88–89, 113
catherineae group 88–89, 113
fragarianus .. 81–87, 90, 93–94, 107, 110, 113
horarianus ...94–101, 110, 113
horarianus complex 97, 100
horarianus group 94–107, 113
johnstoni 91, 94, 103, 113
johnstoni group .80, 89, 91–94, 113
lundgreni ...80, 87–89, 93, 113
macdunnoughi 96–99, 113
macswaini 80, 88–90
macswaini group 89–91
montanus 87, 113
opleri 101–07, 113
placitus 107, 110, 113
stevensi 89, 90–91, 113
tahoense 97–103, 113
tonto 80, 93–94, 113
zimapanus 107, 113
Decodina 78, 110–14
mazatlana 110–14
dengue 178
Derrickiella 35, 49, 68
Desmopterella curvata ...198, 203
Diarrhegmoides 147
Dicranocentrus 162–70
fraternus 162–65, 168
janetscheki 165, 168
nepalensis 165, 168
pilosus 168, 170
singularis 168
Dicrofilaria immitis 178
Dilacreon 238, 242–64
caudatus 246, 252–54
chionomus 246, 258–59
gibber 246, 256–57
idomeneus 246–48
key to subgenera 242
koa 246, 249–51
nigricornis 244–45
parmenion 246, 251–52
pentagonus 246, 261–62
pictifrons 246, 254–56
salma 246, 262–64
semiramis 242–44
sordidus 246, 257–58
telamon 242
themistius 246, 260–61
vashni 246, 248–49
Diptera 123–61, 171–73, 174–77, 178–88, 205–11, 212–15, 401–12
Dixa 174–77
amabilis 174
barraudi 175–76
bifasciata 175
binotata 175
christophersi 175
kashmirensis 176
key to Oriental species 174
maculipennis 174
montana 174
ochrilineata 174
platystyla 175
pollex 176–77
rostrata 175
trinotata 174
zeylanica 175
Dixella 174, 176–77
Dixidae 174–77
Domrowana 35, 49–72
Donax canniiformis 156
Drapetis kraussi 215
savaiiensis 215
Drosophila 218, 228–29, 235–36
alpiniae 228–29
aproclinata 218–20, 234–35
floricola 235
hibisci 236
incisurifrons 224–25, 231, 236
melanderi 229
melanderi species group ... 229
metatarsalis 227
nigrops 223–24
nuda 221–22, 231–32
paraguma 219–21, 231, 235
parviramosa 222, 231, 235
plaua 220–22, 231
psychotriae 225–26
scaptomyzoidea 226, 236
spathicola 226
specensis 227
tricingulata 227–28
xanthops 224, 228
Drosophilella 219, 234–35
pistilicola 234
stamenicola 235
Drosophilidae 2, 217–36
Dystheatias 238
beecheyi 238
orpheus 242
telamon 242
Eana 80
Eluzalmon 246–64
Empididae 212, 214–15
Endecameris striatus 194–95
Entomobryidae 162–70
cavernicolous 170
Eoptyelus 366
sordidus 366
Epaustraloma 238
simois 238
Episoda zimmermani 195
Eucarpia 237–38
univitta 238
Eucoila hygrophila 192, 195
philygra 194–95
oreias 193, 195
orobates 193, 195
Eucoilidea guamensis 191, 195
micromorpha 192, 195
rufula 194–95
Eucompsomyia 402
Eucosoma sonomana 90

Euryinae 329, 339
Eurys 329, 339
aeratus 341
aglaia 341
chloe 341
laetus 339, 341
nitidus 341
pulcher 341
rutilans 341
sembla 339–41
Euscelidia piliensis 210
rapacoides 210
Euschoengastia 49
uromys 55
Exalloscaptomyza 235
Exallosophira 124, 149–50
elegans 149
fever, yellow 178
Fijipyrgus gracilis ... 198–99, 203
filariasis 178
fly 123, 157, 217–36
blow 401–12
fruit 123–61
house 411
Fulgoroidea 237–329
Gastropoda 328
Gastrozona 157
group 124–25
Gastrozonini 123–24, 145
Glyptomorpha Holmgren 328
Glyptomorpha Kormilev 328
Gryllidae 197
Guntherana 35, 38, 49, 68, 72
bipygalis 40
merops 72
oenanthe 72
Guntheraninae 40
Guntheria 35–77
bipygalis 40–41
cassiope 53, 67–68, 71
cassiope group 67, 70
crinita 51, 59, 75
domrowi 38, 61
echymipera 49, 75
foliata ... 51–53, 57, 67, 72, 75
hoxieae 38–39, 75
inflata 39–40, 75
kallipygos 35, 39–41, 75
key to PNG subgenera and species 75
lovaniensis 53, 70, 76
mccullochi 55–59, 67, 75
minima 55, 76
mirzai 75
mohri 51, 59, 75
niobiensis 59, 70, 75
omega 51, 59, 61–63, 75
ornamentata 40, 45, 47, 75
parana 40, 45–47, 75
perameles 51, 59, 61, 63, 75
scaevola 50–51
scrobiculata 45, 47, 75
serrata 63–67, 75
shieldsi 67–68, 75
strandtmanni 49, 53, 61, 68–70, 72, 76
taylori 61
tindalei 35
transluscens 35
wauensis 69, 76
womersleyi 49, 53, 61, 68, 70–72, 76
Halosalda lateralis 29–30
Handschinia 361, 363, 366
fusca 366
melanotum 366
orca 365, 367
peleana 365–66
salomonis 365–66
heartworm, dog 178
Helenasaldula aberrans 27
Helenicula 55
Heligmoneura divaricata 207, 210
elaphra 207, 210
pygmaea 208, 210
seminuda 209–10
sula 209–10
Helochares minor 397
Hemiosus 387
Hemiptera 1–34, 413
Heptamerocera 192, 195
Heteroptera 1–34
Hexacola cognata 190, 195
octosegmenta 192, 195
quinaria 194–95
samuelsoni 194–95
tahitiensis 195
Hexamerocera 192–93, 195
Homoptera 3, 347–60, 361–79
Hydrobiini 387
Hydrophilidae 385–400
Hydrotetrix marquesana 198, 203
Hymenoptera ... 189–96, 328–46
Hypodiranchis 189–95
globicornis 191, 195
oblonga 192, 195
Interocrea 361, 363, 367–71
bilutea 365, 367
bomba 365, 367, 369–70
brunnea 365, 369
geminata 365, 367
griseapicata 365, 369–70
immaculata 365, 370
insignis 365, 367
nigra 365, 369–70
nigripes 367
philagra 365, 369–70
specialis 365, 367
transfasciata 365, 370–71
Ioscytus 28
Kambangania 125–26, 128–29, 141–45, 148–49, 159
Kirbyana 238–40
pagana 239
Kleidotoma 190, 192, 195
bryani 190, 195
kraussi 192, 195
swezeyi 194–95
Laccobius 385–400
albipes 390
elevatus 385–86, 389
hollandiae 387, 393–94
iranicus 386, 391–93, 395
key to Melanesian species .. 386
lucernaris 387, 394–95, 397
maculatus 386–87, 389
mirus 386, 390
niger 387, 395–97
novaebritanniae .. 387, 395–97
novaeguineae 387, 392–94
novaeguineae group .. 392–94, 397
papuensis 387, 392, 395–97
papuensis group 395
photophilus 387, 393–94
roseiceps 385, 400
melanesiae 387, 398–400
solomonicus 386, 390
sp. 393–94
sp. A 385–86, 393–94
sp. B 385, 387, 395, 397
sp. C 385, 387, 400
sp. D 385, 387
sp. E 385, 387
tenebricosus 386, 390
wewaki 387, 395, 397
Lallemandana 347–61, 371
adamsoni 349, 352, 355
armstrongi 352, 355
australis 348, 352, 355, 360
biformis 348, 353, 355
bryani 353, 355
buxtoni 352
cheesmanae 349, 352, 355
cheesmanae species group 350–51, 355
clavata .. 348, 350, 352, 355–56
conjuncta 349, 352, 356
crockeri 348, 352, 355–56
fenestra 349, 352, 355, 359
fenestra species group ..350–51
gambierana 348–51, 355
gressitti 349, 353
huahinensis 349, 352, 356
insignis 348, 350, 355, 360
insignis 348, 352

pallida 348–49, 352
rapana 348, 352, 359
insulata 349, 351, 356–58, 360
interrupta 350, 355
cryptica 349, 352, 358
interrupta 349, 351
juddi 348, 352, 355
key to Raiatean species 349
key to Tahitian species 349
mooreana ... 348–50, 352, 355, 359
mumfordi 349, 352–53, 355
navigans 348, 352, 355
oceanica 348, 355
oceanica 353
samoensis 353
oceanica species group 348, 350–51
pallida 348, 350
pararapana ...349, 352, 358–59
picturata 348, 352, 359
pseudorapana ..349, 352, 355, 359
rapana 350
raroto 352
rarotongae 348, 355
sociabilis 349–50, 352, 355
solomonensis 363, 371
swezeyi 352, 355
tahitiensis 349, 351, 355, 359
tubuaii 348, 352, 359–60
tylata 349, 353
Lallemandia 355, 371
Leotichiidae 27
Lepidoptera 78–114, 196
Leptogaster palawanensis 209–10
tomentosa 210
Leptogasterinae 205
Leptogasterini 206
Leptogastridae ... 205–06, 209–10
Leptolamina gressitti 191, 195
papuensis 193, 195
Leptopodidae 27
Liopteridae 189, 195–96
Liorhina 348, 351, 361, 363, 371, 374
acuta 363, 371
albimaculata 364, 373, 379
apicistriata 364, 373–76
crockeri 364, 371
diadema 365, 373–74
fasciata 371
flava 363, 374, 377
floridana 364, 371, 376
fraterna 364, 371, 373
froggatti 364, 371, 374
imitans 364, 371
interrupta 363, 373–76
lallemandana 365, 371
leopardus 365, 375, 377
limbata 364, 371
lugubris 364, 371
malaupainana 371
nggelana 363, 371, 375–76
nigra 364, 371
nigripes 363, 373, 375–76
obliqua 363, 371, 373, 375
ovata 364, 375–76, 379
parassona 364, 371
penniops 364, 375–76
pubescens ...365, 374, 377, 379
recta 364, 371, 377
reflexa 371
savoana 364, 371
sera 364, 371
setosa 364, 374, 377
siotana 371
sp. 371
splendida 365, 377
surana 365, 371, 374
transpuncta ..364, 374, 377–79
trimaculata 364, 373
undulans 363, 379
Lobus guineae 209–10
Lophyroides 343
Lophyrotoma ...329, 336, 338–39
analis 335
cibdeliformis 335, 337–38
cyanea 335
interrupta 335, 337
leachii 335
minuta 336
nacenta 336–37
towenda 337–38
zimba 338–39
zonalis 336, 339
Lucilia 402
bazini hainanesis 407
bazini ssp. complex 407
calviceps 402, 407
cuprina 402, 407
papuensis 407
sericata 402, 409
Luciliini 402
Lygaeidae 2
Maacynips distincta 190, 195
papuana 193, 195
parva 193, 195
Machimus divinosus 207, 210
truncatus 209–10
Macrolaccobius 385–87
malaria, avian 178, 187
Mallophaga 115–22
Menoponidae 115–22
Metatrichia papuana 214–15
thailandica 214–15
Meubelia schistacra 199, 203
Mezirinae 328
Micracanthia 28
Microlaccobius ..385–86, 398–400
microlepidoptera 78–114
Morphocoris 328
moth 78–114, 196
Muscidae 409
Myrsidea 115, 122
anaspila species group 122
cecilae 115, 120–22
insularis 115
grandiceps species group .. 122
insularis 115, 120–22
karyi 115–22
key to ♀ 115
novabritannica 115, 122
pilosa 118
robsoni 115, 122
schizotergum arafura ..115, 122
schizotergum 115, 122
Naniiobus 209–10
Neoeurys caudatus 341
inconspicuus 341
Neopollenia 403
Neoschoengastia 73
bipygalis 40
callipygea 40
hirsti 67
isoodon 63
kallipygos 35, 38
ornata 72
paenitens 72
pastoriana 72
riversi 72
shieldsi 68
smithi 49
trichosuri 67–68
westralis trichosuri 67
womersleyi 49
Nesaphrestes 350
Nesodiranchis 190, 195
aurantiaca 190, 195
fuscorubra 191, 195
nigra 192, 195
Noonacris novahibernica 199, 203
Notoberosus 385–86, 389–97
Oculicola 49
Odonteucoila amamiensis 190, 195
Olethreutinae 91
Olividae 328
Omaniidae 27
Ommatius allopoecius ... 205–06, 210
chrysopilus 206, 210
crypticus 206, 210
daknistus 207, 210
docimus 207, 210
dolon 207, 210

epicalus 207, 210
epipomus 207, 210
episkeris 207, 210
euplocus 207, 210
hocus 208, 210
hypnus 208, 210
manipulus 208, 210
peristus 208, 210
scinus 208, 210
suntius 209–10
varitibiatus 209–10
Onesia 401–02
gonideci 401–12
melinda 401–02, 407
minuta 401–02, 406
noumea 401–02, 405–06
pubescens 401–02, 406
Ophiomegistus 380–84
armouri 380
australicus 384
brachymeleus 380
clelandi 380, 384
luzonensis 380
maximus 380
Opiptacris alata 200, 203
bougainvillea fauroensis ...201, 203
femorata 201, 203
castanea 200, 203
choiseulensis 200, 203
novageorgica 202–03
tenuis 203
unicolor 203
Ophthalmophila 35, 49, 51
Orchesellinae 162–70
Orientomyia 214–15
Ornithogastia 35–77
key to PNG subgenera and species 75
riversi 73–75
Orsillinae 2
Orthoptera 197–204
orthopteroid 197
Oxyinae 197
Paracalliphora 402–03
Paramblynotus trisectus 196
Paramegistidae 380–84
Pararhamphomyia 215
Paraschoengastia 72
Parasophira 123, 125–26, 145–48
Pentacora 27
malayensis 27
sphacelata 27
Pentakleidota 194–95
Perga affinis affinis 329
dorsalis dorsalis 330
Pergagrapta 329, 331
bella 331
bensoni 330–33
bicolor 330
glaber group 331
glabra 331, 333
latreillii 330
malaisei 331, 333
owanda 331
polita 330
sonoda 331, 333
Pergidae 329–46
Perginae 329
Perinoia 351
caput ranae 348
caputranae 348
Perreyia 343
Perreyiella 342
Perreyiinae 329, 342
Philaenus 3
Philomastiginae 329, 342
Philomastix macleaii 342–43
Phloridosa 235
Phumosia dichromata 403
Phytocentor 238, 240–42
longicornis 240–42
Plasmodium sp. 178
Platypsectra 337
Platyptyelus 350–51, 353
Polleniopsis jamesi 171–73
Polyclonus atratus 341
pox, fowl 178
Promachus 205, 208–10
hypocaustus 205, 208, 210
nussus 208, 210
superfluus 209–10
Pseudeucoila 190–93, 195
angusta 190, 195
depressa 190, 195
elevata 191, 195
elliptica 191, 195
grandissima 191, 195
gressitti 191, 195
lateralis 192, 195
magnificus 192, 195
okinawaensis 192, 195
ovata 193, 195
parallela 193, 195
perkinsi 193, 195
Pseudocranae gressitti ...201, 203
litoralis 201, 203
picta 202–03
Pseudodiranchis grandis 191, 195
longicornis 192, 195
monilis 192, 195
obovata 192, 195
tereticornis 195
Pseudoperga belinda 333
Pseudopyrgus curtipennis ...198, 203
Psichacra 192–95
Pterygophorinae 329, 333
Pterygophorus 329
breviantennatus 333–35
cinctus 333
facielonga 333
insignis 333
Ptoleria 237–38
arcuigera 238–39
Pyrgomorphidae 197–200
Pyrrhocoridae 28
Quirosia 238
vitiensis 238
Rachiceridae 212–13
Rachicerus bifidus .. 212–13, 215
boarius 213, 215
endymion 213, 215
flabellum 213, 215
fluidus 213, 215
maai 213, 215
nigellus 213, 215
nimbosus 213, 215
obatratus 213, 215
tenuiculus 213, 215
tenuis 213, 215
tigrinus 213, 215
Rhamphomyia basisetosa .214–15
maai 215
tachulanensis 215
Rhiniinae 402
Rhoptromeris ryukyuensis 194–95
Rhynchota 347–60, 361–79
Rioxa 124, 126
vinnula 124, 126
Saccharias 239
deventeri 239
Salda 28
littoralis 30
pellucens 31
Saldidae 1–34
Saldinae 27
Saldula 2, 27–28, 30
c-album 31
exulans 2, 5–9, 23–26, 28, 30–32
fucicola 21
humifera 10
intermedia ... 5, 17–21, 23–24, 30–31
kauaiensis 2, 5, 24–25, 28, 31–32
key to Hawaiian Is species ... 3
longicornis 2, 5, 13, 23–26, 31–32
nubigena 2, 23–26, 30–32
oahuensis ..5, 9–13, 15, 17, 19, 21, 23–24, 30–32
oahuensis complex 24
oahuensis-procellaris group/ complex 24–25, 31–32
procellaris 5, 13–17, 19, 21, 23–27, 30–32
rivularia group 28

saltatoria 21, 31
scotia group 28
usingeri 5, 21–23, 31–32
Salduncula 27
Sarcophagidae 409
sawfly 329–46
Scaptodrosophila 218–27, 231–32, 235–36
Scaptomyza 235
Scenopinidae 212, 214
Scenopinus adventicius ... 214–15
maai 214–15
thailandicus 214–15
Schoengastia 67
crinita 63
hirsti 67
mohri 63
Schoengastiine 35
Seguyella maai 214–15
Seraca 123, 125, 139, 148
signifera 125
venusta 125
Somomya *micropogon* 410
Soosina 123, 148
Sophira 123–61
appendiculata 127–29
biangulata 128, 145–47
bistriga 128–29, 137, 139
concinna 128, 145, 147–48
disjuncta 125, 128, 141–42, 144–45
extranea 127, 148
flavicans 127, 129–30
flavomaculata 127, 130–31
group, key to genera 124
insueta 127, 131, 133
key to species 126
kurahashii ... 127, 131–33, 135
limbata 127, 133, 135
borneensis 127, 131, 133–35
limbata complex 126, 131, 133, 135
linduensis 128, 131, 135
metatarsata 125, 128, 141, 143–45
philippinensis 126–27, 133, 135
phlox 126–27, 133, 135
plagifera 128–29, 136–37
plagifera complex 139
signifera 123, 127, 136–39
simillima 128, 144–45
spectabilis 128–29, 139–40
venusta 123, 127, 140
vittata 126, 128, 141, 145
Sophira Malloch 150
Spaniothrix 141
vittata 141
Sphaerocranae bicingulata ... 200, 203
bipartita 200, 203
distincta 200, 203
maai 202–03
nakatae 202–03
poecila 202–03
pseudogracilis 202–03
spider 196
Spinacris elegans 198, 203
spittlebug 347–60, 361–79
Stenoxyphula microphallica .. 199, 203
Stomorhina 402
discolor 403, 411–12
xanthogaster 403, 411
Styloptera 236
alocasiae 229–30, 232, 236
repletoides 236
sp. 230
Symphyta 345
Syneches brevispinus 214–15
Tarbaleopsis hystrix 199, 203
minor 199, 203
proxima 199, 203
stellae 199, 203
Tauchiridea adusta brunnea 200, 203
Teloleuca 28
Tephritidae 123–61
Tetrigidae 197–98, 203
Tettigoniidae 197
Tortricidae 78–114
cnephasiine 91
Tortricinae 78–79
Tortricodes fragariae 83
fragariana 79
horariana 97
Toxorhynchites amboinensis 178, 180
brevipalpus 178
inornatus 178
theobaldi 178
Tribolium castanium 214
Trigonopterygidae .. 197–98, 203
Tritaeniopteron . 123–24, 156–57
eburneum 156–57
elachispilotum 157
excellens 157
flavifacies 157
punctatipleurum 157
tetraspilotum 157
Trombiculidae 35–77
Truxalis oceanicus 199, 203
sylvaticus 199–200, 203
Trypanoides 208, 210
Trypeta manto 124, 126
Trypetinae 123
virus, Japanese B encephalitis 178
Weldia agromyzae 190, 195
flavida 191, 195
spatulata 194–95
Wuchereria bancrofti 178
Xenomyza carapacina ... 206, 210
centurionis 206, 210
Xenosophira 123–25, 157–61
invibrissata 158–59, 161
vibrissata 158–61
Xyloperga univittata 329
Yateberosus 385–87, 389
maculatus 385, 387
novaecaledonicus 385, 389
Zemira Adams & Adams 328
Zemira Kormilev 328
Zimera 328
Zingiberaceae 229

Vertebrate Index

amphibian 196
Anisomys imitator 45, 61, 68, 72
Antechinus naso 45, 53
sp. 68, 72
wilhelmina 72
Arenaria interpres 61
Astrapia mayeri 61
Ribbon-tailed 61
bandicoot 40, 42, 63
Brindled 40
Giant Brindled 47
Marsupial 47
Spiny 49
Striped 53
bird 38, 73, 122, 187, 196
migratory sea 38
cattle 183
Corvidae 115
Corvus 122
orru 115
insularis 118, 120
ssp. 122
Dasyurus albopunctatus 69
Dorcopsis veterum 53, 72
Dorcopsulus vanheurni 53, 72
Draco maximus 75

Echymipera *cockerelli* 47, 49
doreyana 51, 59
kalubu 47, 49, 51, 59
kalubu 49
Eurystomus orientalis 73, 75
Falco severus 75
Guentheria 35
Güntheria 35
Halcyon chloris 75
Haliaeetus sanfordi 75
Hirundo tahitica [erron. as taluticu] 75
Hydromys chrysogaster 69
Isoodon macrourus 40
torosus 63
Leptomys elegans 53
lizard 196
scincid 380
macropod 53
Macropus *coxeni* 51, 53
mammal 38, 61, 73, 187, 196
marsupial 53
Melomys 67
cervinipes 67
Highland 67
rubex 42, 67
rufescens 72
sp. 45, 55, 68–69, 72
Mouse, Long-nosed Marsupial 53
marsupial 61
Narrow-striped Marsupial .. 61
Murexia longicaudata [erron. as longicauda] 45, 55, 72
Neophascogale lorentzi 61
Oligodon purbacens 384
Passeriformes 115
peramelid 63
Peroryctes longicauda 45, 53, 61, 63, 68
raffrayanus 47
Phalanger vestitus 68
Phascolosorex dorsalis 61, 72
sp. 68
pig 183
Pisces 35
Pogonomys sp. 68
Pseudocheirus cupreus 45, 53, 68
rat 40
Moss Forest 61, 67, 70, 72
Mottle-tailed Tree 56
Rattus exulans 68, 72
leucopus 72
niobe 39, 53, 55, 59, 61, 63, 68–70, 72
ruber ...39, 42, 45, 53, 55, 68–69, 72
sp. 55, 68–69, 72
verecundus 68, 72
reptile 73, 380
Ring-tail, Coppery 53
rodent 61, 68, 211
murid 63, 72
skink 380
snake 196, 380
Kukri 380–84
Thylogale 53
bruijni 53, 72
coxenii 53, 70, 72
stigmatica 51, 53, 70, 72
Turnstone, Ruddy 61
Uromys caudimaculatus .. 41–42, 53, 55–56, 72
wallaby 72
Red-legged 53, 72

Plant Index

Acacia koa 183, 187
Alocasia 217–36
angustiloba 222, 230, 235
hollrungii 219, 230, 234–35
macrorrhiza .. 220–22, 224–32, 235–36
Alstonia costata 353
Araceae 217–36
Arctostaphylos 79, 93
virgata 93
aroid 230
banana 229
Cheirodendron helleri 26
trigynum 11
Cocculus 190
coconut 180
Colocasia 234
esculenta .. 217, 227, 230, 234–36
Commersonia 377
Delissea 191
Ericaceae 79, 81, 93
Eurya 342
Fagaceae 79, 81, 85, 87
fern 11, 168
fungi 229
Gaultheria 93
Glochidion 338
gooseberry 98
grass 165, 183, 187, 200, 355
greensword 21
Iliahi 191
Malvaceae 236
Metrosideros sp. 183, 187
moss 2, 9, 11, 13, 19, 26, 168
Myoporum sandwicense 191
Naio 191
oak 82, 85, 87
deciduous 85
evergreen 85
Pandanus 200
pine, pinyon 90
Pinus edulis 90
Pipturus 377
Protobolanus 85, 87
Psychotria 226, 342
Quercus 79, 82, 85, 87, 89
agrifolia 82–83, 85–86
douglasii 82, 85–86
kelloggii 85
lobata 82–83, 85–86
turbinella 85
vaccinifolia 87
vaccinifolia × chrysolepis ... 87
wislizenii 85
radish 193–94
Railliardia 190
rhododendron 196
Ribes 79, 94, 96, 101
aureum 100–01
malvaceum 107
menziesii 101
quercetorum 101
sanguineum 101
sp. 96
Rubiaceae 226
Santalum sp. 191
Saxifragaceae 79, 81, 96
Sideroxylon 192
Straussia 191
strawberry 85
Styphelia 187
taro, common 217
Tetraplasandra meiandra 26
tree fern 11
Vaccinium 193

PACIFIC INSECTS

Volume 22

1980

Published by
Entomology Department, Bishop Museum
Honolulu, Hawaii, USA

EDITORIAL COMMITTEE

JoAnn M. Tenorio, Senior Editor
J. L. Gressitt and G. A. Samuelson, Co-editors
F. J. Radovsky, Managing Editor

S. Asahina
J. F. G. Clarke
K. C. Emerson
R. G. Fennah
D. E. Hardy
R. A. Harrison
M. T. James
J. Lawrence
H. Levi
T. C. Maa
J. Medler
C. D. Michener
W. W. Moss
C. W. Sabrosky
J. J. H. Szent-Ivany
I. W. B. Thornton
J. van der Vecht
K. Yasumatsu
E. C. Zimmerman

Associate Editors: N. Evenhuis, W. Gagné, M. L. Goff, F. Howarth, G. M. Nishida, W. A. Steffan

Assistant Editors: Eileen D'Araujo, Shirley Samuelson

Editorial Assistant: Reidun Johansen-Khan

Business Manager: W. Fitzgerald

Entomology Staff, Bishop Museum: Keith Arakaki, Gary Buelow, Candida Cardenas, Eileen D'Araujo, Neal Evenhuis, Raydeen Fujimoto, Wayne Gagné, Jill Glanstein, M. Lee Goff, J. L. Gressitt, Carol Higa (Admin. Asst.), Francis Howarth, June Ibara, Reidun Johansen-Khan, Keith Leber, T. C. Maa, Deborah Manning, Hans Megens, Grace Nakahashi, Gordon M. Nishida, F. J. Radovsky (Chairman), Elizabeth Rice, Eddie Rosell, G. A. Samuelson, Shirley Samuelson, W. A. Steffan, Sabina Swift, JoAnn Tenorio.

Associates in Entomology, Bishop Museum. Honorary Associates: J. Balogh (Budapest), J. W. Beardsley (Honolulu), F. A. Bianchi (Honolulu), J. M. Brennan (Honolulu), H. L. Carson (Honolulu), D. E. Hardy (Honolulu), H. Hoogstraal (Cairo), E. W. Jameson, Jr. (California), N. L. H. Krauss (Honolulu), J. T. Medler (Honolulu), K. Sakimura (Honolulu), R. W. Strandtmann (Texas), J. J. H. Szent-Ivany (South Australia), R. Traub (Baltimore), K. Yasumatsu (Fukuoka), E. C. Zimmerman (Canberra). *Research Associates:* P. F. Bellinger (California), C. J. Davis (Hawaii), R. F. Forster (New Zealand), C. R. Joyce (Honolulu), N. A. Kormilev (New York), M. Maffi (Italy), E. N. Marks (Brisbane), P. F. Mattingly (London), W. C. Mitchell (Honolulu), S. L. Montgomery (Honolulu), W. P. Mull (Hawaii), M. Nadchatram (Kuala Lumpur), Richard Papp (Hawaii), J. C. E. Riotte (Honolulu), K. Sattler (London), B. Sugerman (Honolulu), J. M. Valentine (Miami). *Field Associate:* A. B. Mirza (Papua New Guinea).

Printed by Allen Press, Lawrence, Kansas, USA

CONTENTS OF VOLUME 22

BHATTACHARJEE, R. K.—see Mari Mutt & Bhattacharjee
CARSON, HAMPTON L.—see Okada & Carson
COBBEN, R. H.—The Saldidae of the Hawaiian Archipelago (Hemiptera: Heteroptera 1
EVENHUIS, NEAL L.—Catalog of entomological types in the Bishop Museum. Diptera: Asilidae, Leptogastridae 205
EVENHUIS, NEAL L.—Catalog of entomological types in the Bishop Museum. Diptera: Rachiceridae, Scenopinidae, Empididae 212
FAURAN, PIERRE—see Kurahashi & Fauran
FENNAH, R. G.—The genus *Bajauana* and two allied new genera in New Guinea (Fulgoroidea: Cixiidae) 237
GENTILI, ELIO—The genus *Laccobius* in Melanesia (Coleoptera: Hydrophilidae) 385
GOFF, M. LEE—The genera *Guntheria* and *Ornithogastia* (Acari: Trombiculidae) in Papua New Guinea 35
GOFF, M. LEE—A new species of *Ophiomegistus* (Acari: Paramegistidae) from a Malaysian Kukri Snake 380
GOFF, M. LEE & CHARLES VAN RIPER III—Distribution of mosquitoes (Diptera: Culicidae) on the east flank of Mauna Loa Volcano, Hawaii 178
HAMILTON, K. G. A.—Aphrophorinae of Polynesia (Rhynchota: Homoptera: Cercopidae) 347
HAMILTON, K. G. A.—Aphrophorinae of the Solomon Islands (Rhynchota: Homoptera: Cercopidae) 361
HARDY, D. ELMO—The *Sophira* group of fruit fly genera (Diptera: Tephritidae: Acanthonevrini) 123
KLOCKENHOFF, HEINRICH F.—*Myrsidea karyi* (Mallophaga: Menoponidae), a new species from *Corvus orru* (Passeriformes: Corvidae) 115
KURAHASHI, HIROMU—Tribe Calliphorini from Australian and Oriental regions. VI. Description of male of *Polleniopsis jamesi* from New Guinea (Diptera: Calliphoridae) 171
KURAHASHI, HIROMU & PIERRE FAURAN—Blow flies from New Caledonia, with description of *Onesia gonideci*, new species (Diptera: Calliphoridae) 401
MARI MUTT, JOSÉ A. & R. K. BHATTACHARJEE—Four new species of *Dicranocentrus* from Northeast India and Nepal (Collembola: Entomobryidae: Orchesellinae) 162
NAKAHASHI, GRACE & GORDON M. NISHIDA—Catalog of entomological types in the Bishop Museum. Hymenoptera: Cynipoidea 189
NISHIDA, GORDON M.—Catalog of entomological types in the Bishop Museum. Orthoptera: Tetrigidae, Trigonopterygidae, Pyrgomorphidae, Acrididae .. 197
NISHIDA, GORDON M.—see Nakahashi & Nishida
NOWELL, WESLEY R.—A new species of *Dixa* from peninsular Thailand (Diptera: Dixidae) 174
OKADA, TOYOHI & HAMPTON L. CARSON—Drosophilidae associated with flowers in Papua New Guinea. II. *Alocasia* (Araceae) 217

POWELL, JERRY A.—A synopsis of *Decodes* (Lepidoptera: Tortricidae), with descriptions of new species and a related new genus in Mexico 78
RIPER, CHARLES VAN III—see Goff & van Riper
SMITH, DAVID R.—Pergidae (Hymenoptera) from New Guinea and Australia in the Bishop Museum 329
Scientific note: KORMILEV, NICHOLAS A.—Homonymy in the Aradidae (Hemiptera) 328
Book review 216
Errata to volumes 20 & 21 216
Publication announcements 196, 211
Book notice 188
Index to Volume 22 413
Contents of Volume 22 iii

PUBLICATION DATES FOR VOLUME 22

Nos. 1–2, 29 August 1980
Nos. 3–4, 17 December 1980